

NEONATOLOGY TODAY

News and Information for BC/BE Neonatologists and Perinatologists

Volume 2 / Issue 12
December 2007

IN THIS ISSUE

Managing NICU Patient Information with Computers Requires Re-Conceptualizing NICU Care - Part 1

by Joseph Schulman, MD, MS
Page 1

DEPARTMENTS

February Symposium Focus
Page 9

NEONATOLOGY TODAY

Editorial and Subscription Offices
16 Cove Rd, Ste. 200
Westerly, RI 02891 USA

www.NeonatologyToday.net

Neonatology Today (NT) is a monthly newsletter for BC/BE neonatologists and perinatologists that provides timely news and information regarding the care of newborns and the diagnosis and treatment of premature and/or sick infants.

© 2007 by Neonatology Today
ISSN: 1932-7129 (print); 1932-7137 (online). Published monthly.
All rights reserved.

Statements or opinions expressed in Neonatology Today reflect the views of the authors and sponsors, and are not necessarily the views of Neonatology Today.

Would You Like to Receive Your Issue of NEONATOLOGY TODAY electronically in a PDF file? If "Yes," simply send an email to us at ONLINE@Neonate.biz

Recruitment Ads on Pages:
2, 9 and 15

Managing NICU Patient Information with Computers Requires Re-Conceptualizing NICU Care - Part 1

By Joseph Schulman, MD, MS

This is a two-part series adapted from: Schulman J., Managing Your Patients' Data in the Neonatal and Pediatric ICU: An Introduction to Databases and Statistical Analysis. Oxford, UK: Blackwell, 2006; with permission). Part 2 will be published in the January 2008 issue.

Introduction

Good patient care, at all levels, depends upon competently managing and analyzing patient data*. Good patient care depends on understanding the determinants of desirable outcomes and on applying dependable criteria for evaluating care. To identify these determinants and criteria we must explicitly connect the data about our patients and what we do to them with the data about how things turn out. For this, we need special tools.

We commonly believe that because we work hard and care deeply about what we do, we must be doing a good job.[1] Rarely do outcomes data support this relationship. Though you may have years of experience in these areas, experience does not reliably enhance competence.[2-5] For experience to inform future action, we must reflect on all that has happened, not just what was most memorable; we must give proper weight to each observation – each patient; and we must discern just how some observations relate to others.

We may manage and analyze patient data at multiple levels. At the individual level, we work with the data to formulate a patient's problems and plan of care. At the group level, we work with the data to determine how well our system of care serves our patients. Together, the data from these two levels can largely describe our work. However, in actuality, we seldom achieve such comprehensive description of our work and we have few

***Data management:** Meaning depends on context

- As a clinical process, it refers to the overarching process that begins with planning which data to collect, collecting them, manipulating the data, interpreting them, and reporting both data and interpretation in a specified way.
- As a database software process, it refers to the software features that control and manipulate the data that reside in the database.

First Class Mail
U.S. Postage
PAID
Hagerstown MD
Permit No. 93

NEONATOLOGY POSITIONS AVAILABLE NATIONWIDE



Pediatrix Medical Group offers physicians the best of both worlds: the clinical autonomy and atmosphere of a local private practice coupled with the opportunities, administrative relief and clinical support that come from an affiliation with a nationwide network.

Pediatrix offers physicians:

- Professional liability insurance
- Comprehensive health/life benefits
- Competitive salaries
- Relocation assistance
- CME allowance
- Clinical research opportunities

Visit our Web site at www.pediatrix.com/careers to learn more.

We currently have openings in the following locations:

ARIZONA
Phoenix

CALIFORNIA
Lancaster
Oxnard
Pasadena
San Jose
San Luis Obispo
Torrance
West Covina

FLORIDA
Pensacola
Tampa Bay

IOWA
Des Moines

KANSAS
Wichita

LOUISIANA
Baton Rouge

MARYLAND
Baltimore
Cheverly

NEVADA
Las Vegas
Reno

NEW MEXICO
Albuquerque

NEW YORK
Elmira

NORTH CAROLINA
Charlotte

OHIO
Columbus
Dayton

OKLAHOMA
Oklahoma City
Tulsa

SOUTH CAROLINA
Florence
Spartanburg

TENNESSEE
Memphis

TEXAS
Corpus Christi
Dallas
Houston
San Antonio

VIRGINIA
Fredericksburg
Lynchburg

WASHINGTON
Spokane

PUERTO RICO



What's new on campus?

Visit the Pediatrix University campus at www.pediatrixu.com to learn more about our continuing education activities. Recent Grand Rounds include:

- Vasa Previa: Suspect, Diagnose, Treat.

An Equal Opportunity Employer



877.250.8866 toll free

dependable criteria by which to evaluate it.

School-age children ask the riddle: *“Why do you always find things in the last place you’d think to look for them?”* The answer, of course, is: *“Because that’s when you stop looking.”* Our daily work is too complicated and demanding to accept having to rummage through a patient chart, with little idea of exactly where to find the information we seek. A central aim of patient information management is to ensure that you get the information you need in the first place you look. But this may require profound advances in: how an organization’s members collect, manage, and interpret data; how they learn from their experience; and how they share the learning among all whom can benefit.

This article introduces readers to core concepts and tools for managing patient data. Why should clinicians understand this? *“When the only tool you have is a hammer, everything looks like a nail.”* (Abraham Maslow)

We clinicians often succumb to the vast amount of complex information in our daily work by changing our perception of reality or by not letting it all in. We formulate simplified versions of complicated situations, confident that we have included the essence of the problem (see Eddy,[6] Chapter 30; also Weick,[7] Chapter 4, especially page 87); but rarely, if ever, testing that we have done so. In making a complex medical decision we may need to process in our heads more information than we can handle.[8] Perhaps for this reason, we apply to this vast amount of information decision making methods that are often tacit (Weinstein and Fineberg[9], especially p 28). Of course, the resulting knowledge is tacit too.[9] Applying such imprecise methods as we do, is it any wonder that our care and documentation vary widely?[10,11] Some claim this variation is integral to the “art of medicine,” a notion traditionally thought to embody the wisdom of experience. I think Eddy counters best: *“When different physicians are recommending different things for essentially the same patients, it is impossible to claim that they are all doing the right thing.”*[8]

Here’s the point. Neither traditional nor newer information processing methods enable us to account for all important determinants of the outcomes we observe. Nor do we have a sound basis to determine exactly which outcomes we ought to observe. We poorly understand the quantitative dimension of our work. The ever-growing demands of processing information in our heads are overwhelming. We are in trouble.

We recognized this information overload to some extent long ago, when we set up paper-based information systems. But a paper-based system is inadequate.[12,13] To recall a lab value or remember to check on an X-ray, we may jot the information down on an index card, or the back of an envelope. Even better, so we don’t lose it, we might write it on the leg of our scrub pants. A computer-based information system is potentially far better.

A computer is a wonderful tool to keep track of more things than we can in our heads. But most computers and the programs they run are not designed to handle tacit knowledge and implicit processes. If we are to benefit from the things computers can do enormously better than humans can, we must think explicitly about clinical data elements. This entails articulating precise methods for collecting, managing, analyzing, interpreting, and acting on this data – in excruciatingly fine-grained detail. Such methods differ radically from traditional, tacit approaches. Unfortunately, institutional decision makers may replicate the long-standing tacit and implicit methods in new computer technology – if they prioritize clinicians’ accepting the new technology above optimizing its potential. This may be an innocent misjudgment; few clinicians are solidly trained in data modeling, database design, and implementation.[14]

Often when clinicians imagine a computer managing their patient information, they imagine the computer doing it the same way the clinicians have always done it; just faster, and with less direct clinician involvement. But to genuinely “computerize” patient information management, to represent and conduct our daily work with the

aid of a computer, we must change the way we typically think and work. We can’t consider the computer a “black box” that will “do” our work if only we enter the kind of unspecified free-text as we did in the days of paper-based charting. A computer is unintelligent; it only does what it is told to do. If you had to tell a layperson exactly what to do with some data so that it was properly processed, could you? For example, consider a serum creatinine value: is it normal or abnormal; does it influence other decisions – such as drug doses, and which drugs; what question(s) does it answer; should particular follow-up or interventional cascades be triggered; and so on.

To conduct our work with a computer we must precisely specify as many essential details about our work as possible. We must represent our work on a computer: carefully map conceptual elements to specific software elements, and specifically structure it. Often more than one representation option is possible, yielding varying degrees of success for the performance of the resulting tool. That tool, in one form or another, is database** software.

Computerized patient information management systems and their potential to optimize clinical work have engaged the serious attention of national governments.[15,16] Increasingly, governments appreciate that it matters greatly how we think about representing, storing, and manipulating patient information; to guide formulating problems and solutions, produce reports, and to answer research and performance evaluation questions.

Free-Text Data

Chances are, the computer-based system you may have experience with uses so-called free-text fields. These are fields that allow you to write anything you’d like in them (within some size limit). People reluctant to abandon the way they’ve been writing patient notes over many years tend to like free-text fields. Free-text fields make them feel good about “getting all the data into the computer.” And in truth, until we can comprehensively represent our work in an explicit data structure, free-texting may be the best way to represent

****Database:** A collection of data. Surprisingly simple? The term does not necessarily imply computers or software program applications. The card catalog that today is disappearing from libraries is an example of a useful, low-tech database. Computerized, high-tech databases aren’t just faster versions of low-tech databases. Computerized databases usually reflect more sophisticated design principles than traditional, low-tech databases. Computerized databases also can be connected to each other to achieve search results undreamed of with older technology.

the important elements of each patient's individual experience. On the other hand, free-text fields impede the potential of computer manipulation of data and enable workers to continue thinking tacitly and implicitly. Powsner, Wyatt, and Wright attribute most present benefits of computer-based records to data fields that contain structured, coded data.[17] Optimal ways to structure data are still being developed, so searching free-text fields remains an active area of investigation.

Discriminating Symptom from Diagnosis

"Alice came to a fork in the road. 'Which road do I take?' she asked.

'Where do you want to go?' responded the Cheshire cat.

'I don't know,' Alice answered. 'Then,' said the cat, 'it doesn't matter.'"

~Lewis Carroll, Alice in Wonderland

So many hospitals now use computer-based information systems that it is natural for readers to think the solution to health care's problems with managing patient information is computer-based patient records. Before accepting this implicit problem formulation and solution, consider the difference between a symptom and a diagnosis. A symptom is a manifestation of a problem. An ideal diagnosis identifies the root cause of the problem. The increasing use of electronic records reflects the increasing recognition of symptoms – problems – stemming from the traditional way we have worked with patient information. I argue that current (computerized) problem-solving approaches often represent merely symptomatic relief. It may be more productive to think of a computer not as a solution, but as a powerful tool – with great potential to facilitate implementing the real solution. Real solutions reflect clarity of thought about details of the problem, and about exactly what one wishes to achieve via the solution.

Exactly what should our information systems enable us regularly to achieve? Most patient settings I've observed have few explicit aims that guide their information management processes – with the notable exception of those relating to regulatory compliance. That is, we tend to think of information management systems the way many people think of art: we know it's good when we see it; no matter that we can't articulate the specific criteria by which we make the determination. Labo-

ratory and imaging systems, though explicitly implemented, often appear to have developed independently of a broader vision for the overarching institutional mission. Their aims reflect local imperatives – the laboratory or imaging department – more than they do the needs of data consumers.

Toward Explicit Thinking About Aims

The Institute of Medicine (IOM) proposed explicit aims for patient records:[13]

- support patient care and improve its quality
- enhance the productivity of health care professionals and reduce the administrative costs associated with health care delivery and financing...
- support clinical and health services research...
- be able to accommodate future developments in health care technology, policy, management, and finance...
- have mechanisms in place to ensure patient data confidentiality at all times...

These are explicit, but broadly articulated. To achieve them, we require aims for the individual components of patient records, described at a fine-grained level of detail. Many clinicians haven't thought pointedly about exactly what an admission note, or a "progress" note, or a "discharge" summary, should achieve. Further, how many readers can operationally define what they mean by quality of care?

Too often, our healthcare system hasn't forced us to tackle these problems. As Donald Berwick observes, "...performance is embedded into the design of the system...all systems are perfectly designed to achieve the results they get." (<http://www.ihl.org/IHI/Topics/Improvement/ImprovementMethods/Literature/WantANewLevelofPerformanceGetANewSystem.htm>; accessed 5 August 2004). This observation articulates such profound wisdom that it merits special reflection.

What proportion of complaints about new information technology might actually be about this technology's requirement for explicit thinking – about being forced to recognize exactly what it takes to achieve the results we want to get?

Ontology

Even if we share a common idea of information and how to explicitly represent it,

we may still have problems communicating. The term ontology describes a special kind of framework to represent our shared knowledge. Ontology in our context is how we specify our idea of our work. It includes precisely defining the vocabulary we use in our discourse, and in our databases. On their own, workers in different settings come up with different terms and structures for representing essentially similar information. For example, consider the variety of definitions of chronic lung disease, an entity often represented in a database as a simple "yes" or "no."

The lack of a common ontology has been called the "Tower of Babel" problem.[18] Within different databases, data with the same label may have different meaning. Other times, we may mean the same thing but use different labels. The potential for learning from our aggregate experience is awesome, but it requires that we resolve the inconsistencies among our data tools. Uniform terminology, representation, and data structure are central to achieving the potential of the new information technology.[19] Calibrating all our data models and database applications to one common ontology could produce unimaginable opportunity to do our work better.

To learn more about uniform terminology for health care records, visit the web sites of the standards-development organizations called Health Level 7 (HL7), at: <http://hl7.org/about/hl7about.htm> (accessed 08 February 2005); and Systematized Nomenclature of Medicine – Clinical Terms (SNOMED-CT), at: <http://www.snomed.org/snomedct/> (accessed 08 February 2005).

Data Modeling: Overview

Explicitly structuring the data that constitute our work entails a data model. A data model is an abstraction aimed at broadly representing the ideas and things that constitute an organization's work. It is the framework that specifies what kind of data to keep and how to store them.

A data modeler works with information system users much as an architect works with a building's future dwellers.[20] Both architects and data modelers are designers, people who work with problems that have more than one correct solution.[20] One models – maps – the important objects and events of the reality, so they may be "saved" and subsequently "manipulated." Why provide technical detail on this subject? Well, if you retain an architect to



The Conference for Neonatology

february 7-10, 2008

*Disney's Yacht and Beach Club Resorts
Lake Buena Vista, Florida*



One of the Premier Meetings in Neonatal Medicine!

Primary Conference Sponsors:



PEDIATRIX MEDICAL GROUP
The Center for Research and Education



WINNIE PALMER HOSPITAL
For Women & Babies

WINNIE PALMER HOSPITAL
FOR WOMEN & BABIES
Department of Pediatrics
Division of Neonatology



UNIVERSITY OF
FLORIDA

UNIVERSITY OF FLORIDA
College of Medicine
Department of Pediatrics
Division of Neonatology

Supported in part by a restricted medical education grant from Ross Products, Division of Abbott Laboratories.



design and oversee construction of your home would you not want to understand and approve the blueprints; would you just move in without repeatedly confirming that the design and the product represents your residential needs? We shall concentrate on a particular type of data model called the relational data model; so named because it is based on the notion of mathematical relations – for our purpose, tables. Though tables*** often are related to each other, that is not why the model is called relational.

The relational model specifies a variety of table features. Each of the relations, or tables, must have a unique name, as must each of the columns, or attributes. The values each attribute may have are specified by a domain. This notion of domain introduces meaning to the data contained in an attribute and helps to avoid incorrect relational operations. For example, a domain might dictate that telephone numbers contain only digits and may not be subjected to arithmetical operations. Each row (observation, record) in a table must be unique. Each cell, that is, each intersection of a row and column should contain only one value (jargon: field values should be atomic). In other words, a single cell holds a single answer. Informed database application users know that try-

ing to query cells containing multiple answers or free-text may be problematic.

Relationship+ Diagram

Some appreciation of what data modeling is about may be gained by looking at a diagram of a relatively simple data model. Figure 1 shows the data model for eNICU, a software tool for managing patient information in the NICU.[21,22] The figure is very complicated, but it makes the point that someone ultimately must decide which data elements to include and how to connect them. Accepting a data modeler's design without careful reflection on how well it has mapped the daily work, i.e. the users' (not the modeler's) reality, can result in a disappointing product. This point underlies Dr. Muenzer's lament in the November, 2007 issue of Neonatology Today: that software available to physicians is "... clumsy, klutzy, slow and expensive..."

In the relationship diagram, I use the convention of naming a table with the prefix "tbl" and "camel caps" instead of a space between words that constitute a name. Relationships between tables are indicated by lines drawn from the primary key field++, in bold font, of one table to the foreign key+++ field of the other table. When the relationship is one-to-one, the number 1 appears at each end of the con-

necting line. When the relationship is one-to-many, the many side of the relationship is represented by the symbol ∞.

The eNICU data model describes, but does not explain. Exactly how did I decide I needed a separate table for Infants, Patient Problems, Loose Ends, etc? Truth be told, the scheme did not emerge from one exhilarating epiphany. It is the result of a reiterative process. That process reflected guidelines ranging from simple rules as: "Provide a separate table for each class of 'real world' object about which you are trying to store information in the database," to complex ones: those that concern normalization++++ (described in Part 2 of this article, appearing in the next issue of Neonatology Today). Ultimately, the data model must also resonate with the database aims: what you want to be able to do with the data.

References

1. Gawande, A. The Bell Curve. in The New Yorker 82-91 (2004).
2. Brookfield, S.D. Becoming a Critically Reflective Teacher, (Jossey-Bass, San Francisco, 1995).
3. Choudhry, N.K., Fletcher, R.H. & Soumerai, S.B. The Relationship between Clinical Experience and Quality

*****Table:** A container for holding data that share common attributes. Tables have rows (horizontal divisions) and columns (vertical divisions). Each column describes one attribute of whatever the table is intended to describe. Each row contains one instance of the table's attribute set, one observation of the thing the table describes. Each row is also called a record. Each column is also called a field. If you had a table for storing several attributes of your patients, each row would contain the information for one patient (one record), with each column recording the information for each attribute (field). In database jargon, a table is also called a relation.

- Even though you think of a table as a rectangular structure that's neatly subdivided and has data in each of those subdivisions, your computer doesn't. The table appears that way on the screen only because your computer is trying to relate to people. Your computer actually stores the data as magnetic charges distributed not so uniformly on the computer disc. This gives the computer and database software lots of flexibility to manipulate and represent the data in tables.

***Relationship:** The logical connection between information in one table (relation) with the information in another table (relation). When one record in table A can relate to only one record in table B, a one-to-one relationship exists. Thus, each patient can have only one set of admission vital signs because a second set would no longer describe the condition at admission. When one record in table A can relate to many records in table B, a one-to-many relationship exists. One mother, for example, can have more than one infant.

****Primary key:** One or more fields uniquely identifying each record in a table. That is, for each record, the value entered in the primary key field(s) is unique among all records in the table. Without a primary key, records in a database may become confused and database content degraded.

+++**Foreign key:** A good way to link a record in one table with a record in another table is for each record to share some common attribute value. Thus, if we wish to connect a particular record in a table of infant data with a particular record in another table of maternal data, we would ensure the infant data table includes a field containing the mother's unique identifier – primary key value. Such a linking field is called a foreign key. The linked records together describe one instance of a higher entity, the mother/infant dyad in our example, constituted by the various tables in aggregate.

++++**Normalization:** A set of design rules specifying what each of the multiple tables in a database is about, and the attributes that belong with each table. These rules generally optimize data storage and retrieval by anticipating the things you'll want to do with the data, and ensuring you'll be able to carry them out. Normalization thus enables reliable queries.




Figure 1. The eNICU data model (From Schulman J. *Managing Your Patients' Data in the Neonatal and Pediatric ICU: an Introduction to Databases and Statistical Analysis*. Oxford, UK: Blackwell, 2006; with permission).

Do you or your colleagues have interesting research results, observations, human interest stories, reports of meetings, etc. that you would like to share with the neonatology community?

If so, submit a brief summary of your proposed article to Neonatology Today at: Article@Neonate.biz

The final manuscript may be between 400-3,500 words, contain pictures, graphs, charts and tables.

- of Health Care. *Annals of Internal Medicine* 142, 260-273 (2005).
4. Schoen, D.A. Educating the Reflective Practitioner, (Jossey-Bass, San Francisco, 1987).
 5. Weinberger, S.E., Duffy, F.D. & Casse, C.K. "Practice Makes Perfect." Or Does It? *Annals of Internal Medicine* 142, 302-3 (2005).
 6. Eddy, D.M. *Clinical Decision Making*, (Jones and Bartlett, Sudbury, Massachusetts, 1996).
 7. Weick, K.E. *Sensemaking in Organizations*, (Sage Publications, Thousand Oaks, CA, 1995).
 8. Eddy, D.M. Evidence-Based Medicine: A Unified Approach. *Health Affairs* 24, 9-17 (2005).
 9. Weinstein, M.C. et al. *Clinical Decision Analysis*, (W.B. Saunders Company, Philadelphia, 1980).
 10. Blumenthal, D. The Variation Phenomenon in 1994. *The New England Journal of Medicine* 331, 1017-18 (1994).
 11. The Center for the Evaluative Clinical Sciences, D.M.S. *The Dartmouth Atlas of Health Care 1998*, (American Hospital Publishing, Chicago, 1998).
 12. Committee on Quality of Health Care in America, I.o.M. *Crossing the Quality Chasm: A New Health System for the 21st Century*, (National Academy Press, Washington, DC, 2001).
 13. Dick, R.S., Steen, E.B., Detmer, D.E. & eds. *The Computer-Based Patient Record: An Essential Technology for Health Care*, 234 (National Academy Press, 1997).
 14. Smith, R. Doctors are not scientists. *British Medical Journal* 328, 7454 (2004).
 15. Department of Health, U. *Delivering 21st Century IT Support for the NHS: National Specification for Integrated Care Records Service. 1.2 edn* (Department of Health, UK, 2002).
 16. Thompson, T.G. & Brailer, D.J. *The Decade of Health Information Technology: Delivering Consumer-centric and Information-rich Health Care*. (ed. Services, U.S.D.o.H.a.H.) (Office for the National Coordinator for Health Information Technology (ONCHIT), 2004).
 17. Powsner, S.M., Wyatt, J.C. & Wright, P. Opportunities for and challenges of computerisation. *Lancet* 352, 1617-22 (1998).
 18. Smith, B. *Ontology*. in *The Blackwell Guide to the Philosophy of Computing and Information* (ed. Florida, L.) 155-166 (Blackwell Publishing Ltd, Oxford, UK, 2004).
 19. Brailer, D.J. Translating Ideals For Health Information Technology Into Practice. *Health Affairs* W4, 318-320 (2004).
 20. Simson, G.C. *Data Modeling Essentials*, (The Coriolis Group, LLC, Scottsdale, Arizona, 2001).
 21. Schulman, J. *NICU Notes: A Palm OS® and Windows® Database Software Product and Process to Facilitate Patient Care in the Newborn Intensive Care Unit*. *Proc AMIA Symp* 2003, 999 (2003).
 22. Schulman, J. *Managing Your Patients' Data in the Neonatal and Pediatric ICU: an Introduction to Databases and Statistical Analysis*, (Blackwell, Oxford, UK, 2006).

Appendix

The following images on pages 9-14 (Figures 2-8), illustrate eNICU data model capability. The data entry interface is a handheld device such as a Palm OS® or Windows Mobile® computer and the data management interface – for notes, queries, etc. – is on a PC. If desired, both data entry and management may be performed on a PC. Complete operational details are available.[22]

NT

Next month, Part 2 of this article shall:

1. *Outline the reiterative process of database design. Understanding this process enables one to reflect on model adequacy.*
2. *Discuss how to think about the impact of a change in information technology.*
3. *Explore a view of the ultimate aim of information technology, i.e. creating tools that make us smarter.*

*Joseph Schulman, MD, MS
Weill Cornell Medical College
New York Presbyterian Hospital
Division of Newborn Medicine
Box 106
525 East 68th Street
New York, NY 10065-4885 USA*

*Tel: (212) 746-3530
Fax: (212) 746-8608*

jos2039@med.cornell.edu



For once,
the quality of life
you improve...
Could be your own.

Do the work you love without the on-call restrictions and emergencies!

Onsite physicians work only when they're onsite. When they leave, they're done.

Imagine:

- No beeper
- Full benefits including insurances
- Every hour paid
- And a whole lot more

Find out about becoming an Onsite neonatologist now.

Call Kathleen O'Sullivan, Director of Physician recruiting, at 866-535-8647.

www.onsiteneonatal.com


Onsite Neonatal Partners, Inc.

To get your issue of **Neonatology Today** in a PDF file, send an email to PDF@Neonate.biz




Figure 2.




Figure 3.

FEBRUARY SYMPOSIUM FOCUS

The Conference for Neonatology 2008
 February 7- 10, 2008
 Disney's Yacht and Beach Club
 Resorts Lake Buena Vista, FL USA
www.neoconference2008.com

Conference description

This four-day conference (half day sessions with optional afternoon seminars) is designed to update, educate and discuss common problems in medicine in the clinical setting, with orientation toward the neonatologist, general practicing pediatrician, nurse, and respiratory therapist. The focus is on cutting edge, but practical aspects of newborn care.

Each year, the Planning Committee carefully reviews all of the attendee evaluations from the previous year in order to prepare a pertinent program presented by distinguished faculty.

Course objectives


The purpose of this course is to provide an objective examination of many of the most critical and exciting areas in modern neonatal-perinatal medicine.

Faculty includes:

Daniel Benjamin, Jr., MD, PhD; David Burchfield, MD; Redmond Burke, MD; Robert Clancy, MD; Regina Cusson, PhD, RNC, APRN ; Steven Donn, MD; Pamela Griffin, MD; Maureen Hack, MD; Louis Halamek, MD; Jacqui Hoffman, MS, ARNP, RNC; Saleem Islam, MD; Kris Karlsen, PhD, APRN; David Kaufman, MD; Susan M. Ludington, PhD, CNM; Barry Mangum, PharmD; Richard Polin, MD; Dale Phelps, MD; Ola Saugstad, MD, PhD; Richard J. Schanler, MD; Ann Schwentker, MD; Alan R. Spitzer, MD; Margaret Steinbach, PhD(c), ARNP; Andreas Tzakis, MD; Thomas Wiswell, MD; Myra Wyckoff, MD; Thomas Young, MD; and David Auerbach, MD

Sponsored by *Pediatrics Medical Group, Winnie Palmer Hospital for Women & Babies and the University of Florida*

Supported in part by a restricted educational grant from *Ross Products Division of Abbott Laboratories*



“Accepting a data modeler’s design without careful reflection on how well it has mapped the daily work, i.e. the users’ (not the modeler’s) reality, can result in a disappointing product. This point underlies Dr. Muenzer’s lament in the November, 2007 issue of Neonatology Today: that software available to physicians is ‘...clumsy, klutzy, slow and expensive...’”

Figure 4.



Healing hearts. Training minds. Bringing hope.

5075 Arcadia Avenue Minneapolis, MN 55436 U.S.A.
Toll Free: 888.928.6678; Phone: 952.928.4860; Fax: 952.928.4859

www.childrensheartlink.org

eNICU:DailyProgressNote

Attending Neonatologist: [REDACTED]

InfantID ¹⁻² [REDACTED] LastName [REDACTED] Gender Male Birth Order (if mult gest) [REDACTED]
 MR ² [REDACTED] Date [REDACTED]

This note reflects interim chart review, appropriate PE, and review with housestaff. WeightGm 3560

ParenteralCaloriesKgD: EnteralCaloriesKgD: 118	TotalFluidIntakeCcKgD: 147	UrineOutputCcKgHr
TotalCaloricIntakeKgD: FeedingTolerance: po feeding	OtherSignifFluidLosses: none	Response to recent fluid/lyte mgmt:
AbdomenExam: benign	GI NutritionPlans: continue present plans	FluidLytePlans: continue present plans

Bili: NA BiliPlan: NA CNSStatus: no concerns
 CVStatus: stable

PulmonaryStatusSummary: FIO2 decreasing PulmonaryPlan: Room air trial this am

ABDesats: resolved Response to recent mgmt: N/A ABDesatPlan: NA

CRIES categ: low: 0-2 Response to previous mgmt: remains comfortable PainPlan: continue present pl

Problems/Interventions

1. Category	Description	Details	Onset	Resolved
CNS	neuromuscular tone: low		5/30/2005	6/1/2005
2. Category	Description	Details	Onset	Resolved
CONTROL RESP	apnea	Possible magnesium sulphate depression	5/30/2005	6/6/2005
Vent support assoc with this problem		Start Date	End Date	
conventional mech ventilation		5/30/2005	6/1/2005	
3. Category	Description	Details	Onset	Resolved
CV	blood pressure: low		5/30/2005	6/1/2005
Meds associated with this problem		Started	Response	Stopped
dopamine		5/30/2005	Improved	6/3/2005
NaCl		5/30/2005	Improved	6/1/2005

Figure 5.


4. Category	Description	Details	Onset	Resolved
PULMONARY	RDS		5/30/2005	6/10/2005
<i>Meds associated with this problem</i>				
	surfactant	Started 5/30/2005	Response Improved	Stopped 5/31/2005
	racemic epi	Started 6/28/2005	Response Improved	Stopped 6/29/2005
<i>Vent support assoc with this problem</i>				
	conventional mech ventilation	Start Date 5/30/2005	End Date 6/1/2005	
	NCPAP	Start Date 5/30/2005	End Date 5/30/2005	
	HFOV	Start Date 6/1/2005	End Date 6/9/2005	
	HFJV	Start Date 6/9/2005	End Date 6/28/2005	
	NCPAP	Start Date 6/28/2005	End Date 6/28/2005	
5. Category	Description	Details	Onset	Resolved
PULMONARY	diaphragmatic eventration	8/4 US right diaphragm-no paradoxical movement of hemidiaphragm. Limited excursion of left when compared to right.	5/30/2005	
<i>Vent support assoc with this problem</i>				
	HFJV	Start Date 6/9/2005	End Date 6/28/2005	
6. Category	Description	Details	Onset	Resolved
INFECTION	MRSA colonized	8/5 nasal swab positive. Continue contact precautions.	6/3/2005	
<i>Meds associated with this problem</i>				
	bactroban to nares	Started 8/8/2005	Response	Stopped
7. Category	Description	Details	Onset	Resolved
CV	PDA: significant		6/4/2005	6/5/2005
<i>Meds associated with this problem</i>				
	indomethacin	Started 6/4/2005	Response Improved	Stopped 6/5/2005
<i>Consultants for this problem</i>				
		cardiology		
8. Category	Description	Details	Onset	Resolved
INFECTION	sepsis > 72 HRS: culture-positive	MRSA	6/4/2005	6/20/2005
<i>Meds associated with this problem</i>				
	vancomycin	Started 6/5/2005	Response Improved	Stopped 6/20/2005
9. Category	Description	Details	Onset	Resolved
INFECTION	pneumonia	? small effusion	6/4/2005	6/21/2005
<i>Meds associated with this problem</i>				
	vancomycin	Started 6/4/2005	Response Improved	Stopped 6/20/2005
<i>Consultants for this problem</i>				
		ID		
<i>Vent support assoc with this problem</i>				
	HFJV	Start Date 6/4/2005	End Date 6/28/2005	
	NCPAP	Start Date 6/28/2005	End Date 6/28/2005	
10. Category	Description	Details	Onset	Resolved
PULMONARY	PE		6/7/2005	6/21/2005
<i>Vent support assoc with this problem</i>				
	HFOV	Start Date 6/1/2005	End Date 6/9/2005	
	HFJV	Start Date 6/9/2005	End Date 6/21/2005	

Figure 6.

11. Category	Description	Details	Onset	Resolved
HEMATOLOGIC	thrombocytopenia	?etiology	6/8/2005	6/21/2005
<i>Signal values related to this problem</i>				
		platelets	53	6/13/2005
12. Category	Description	Details	Onset	Resolved
HEMATOLOGIC	anemia		6/22/2005	6/27/2005
<i>Meds associated with this problem</i>				
	Ferinsol	Started 6/22/2005	Response	Stopped
13. Category	Description	Details	Onset	Resolved
PULMONARY	atelectasis		6/24/2005	6/26/2005
<i>Vent support assoc with this problem</i>				
HFJV	Start Date 6/9/2005	End Date 6/26/2005		
14. Category	Description	Details	Onset	Resolved
PULMONARY	BPD		6/29/2005	
<i>Meds associated with this problem</i>				
	aldactone	Started 6/29/2005	Response	Stopped 8/10/2005
	chlorothiazide	6/29/2005		8/10/2005
	NaCl	7/4/2005	complete problem resolution	8/5/2005
	albuterol	7/6/2005	questionable	
<i>Consultants for this problem</i>				
				pulmonary
<i>Vent support assoc with this problem</i>				
Vapotherm	Start Date 6/28/2005	End Date 8/8/2005		
nasal cannula O2	8/8/2005	8/9/2005		


Other concerns:

Parent communication: MD available for update



Daily Progress Note

Figure 7.



I have examined this patient and supervised the care described in this report.

Attending Neonatologist:

Number: [Redacted]

NP:

[Redacted] *MD*

Figure 8.

Neonatology Today

© 2007 by Neonatology Today

ISSN: 1932-7129 (print); 1932-7137 (online).

Published monthly. All rights reserved.

Publishing Management

Tony Carlson, Founder & Editor - TCarlsonmd@mac.com; Richard Koulbanis, Publisher & Editor-in-Chief - RichardK@Neonate.biz
 John W. Moore, MD, MPH, Medical Editor/Editorial Board - JMoore@RCHSD.org

Editorial Board

Dilip R. Bhatt, MD; Barry D. Chandler, MD; Anthony C. Chang, MD; K. K. Diwakar, MD; Philippe S. Friedlich, MD; Lucky Jain, MD; Patrick McNamara, MD; DeWayne Pursley, MD, MPH; Joseph Schulman, MD, MS; Alan R. Spitzer, MD; Gautham Suresh, MD; Leonard E. Weisman, MD; Stephen Welty, MD

FREE Subscription - Qualified Professionals: Neonatology Today is available free to qualified medical professionals worldwide in neonatology and perinatology. International editions available in electronic PDF file only; North American edition available in print. Send an email to: SUBS@Neonate.biz. Include your name, title(s), organization, address, phone, fax and email.

Contacts and Other Information: For detailed information on author submission, sponsorships, editorial, production and sales contact, send an email to INFO@Neonate.biz.

Sponsorships and Recruitment Advertising: For information on sponsorships or recruitment advertising call Tony Carlson at 301.279.2005 or send an email to: TCarlsonmd@mac.com.

Meetings, Conferences and Symposiums: If you have a symposium, meeting or conference, and would like to have it listed in Neonatology Today, send an email to: MEETING@Neonate.biz. Include the meeting name, dates, location, URL and contact name.

Corporate Offices: 9008 Copenhaver Drive, Ste. M, Potomac, MD 20854 USA; Tel:+1.301.279.2005; Fax: +1.240.465.0692

Editorial and Subscription Offices: 16 Cove Road, Ste. 200, Westerly, RI 02891 USA



FOLLOW YOUR DREAMS. WE'LL HELP YOU FIND THE WAY.

Enjoy a fulfilling career with one of the country's leading providers of neonatology and hospital-based pediatrics.

We are currently recruiting Neonatologists for positions throughout the U.S. We offer:

- QUALITY OF LIFE
- FLEXIBILITY
- GROWTH OPPORTUNITIES
- EXCELLENT COMPENSATION
- BENEFIT PACKAGE FOR FULL-TIME EMPLOYEES
- FULL & PART-TIME OPPORTUNITIES
- PROFESSIONAL LIABILITY COVERAGE

AVAILABLE OPPORTUNITIES IN THESE LOCATIONS AND MORE:



COLORADO SPRINGS, CO



FORT LAUDERDALE, FL



FORT WALTON BEACH, FL



PANAMA CITY, FL



ALBUQUERQUE, NM



RICHMOND, VA

SCHS

SHERIDAN CHILDREN'S HEALTHCARE SERVICES®

800.816.6791 • recruitment@shcr.com

www.sheridanhealthcare.com

"Sheridan Children's Healthcare Services" includes Sheridan Children's Healthcare Services, Inc. and its subsidiaries and affiliates

Helping hospitals through the reimbursement maze



So far, ¹⁵⁶~~115~~ hospitals across the nation have increased reimbursement for INOmax[®] (nitric oxide) for inhalation. Is your hospital one of them?

Our team can help you identify the information you need to seek and obtain appropriate payment. To learn more, please contact INO Therapeutics and the INOtherapy Reimbursement Service at 1-877-KNOW-INO (1-877-566-9466) or visit our Web site at INOmax.com